

Table A-3 cont.

Hybrid <sup>†</sup>	Herbicide Pkg <sup>‡</sup>	Insect Pkg. <sup>‡</sup>	Test Weight (lbs/bu)			Protein <sup>¶</sup> (%)			Oil <sup>¶</sup> (%)			Starch <sup>¶</sup> (%)		
			1 yr	2 yr	3 yr	1 yr	2 yr	3 yr	1 yr	2 yr	3 yr	1 yr	2 yr	3 yr
NK Seeds NK1838 3110	RR	3110	52.7 A			8.2 A			3.6 A			73.5 A		
Progeny 9117 VT2P****	RR	VT2P	50.7 A	54.1 A	53.9 A	8.2 A	8.6 A	8.5 A	3.8 A	3.9 A	4.3 A	72.7 A	72.1 CD	72.5 A
Dekalb DKC68-69****	RR	VT2P	56.4 A	58.0 A	56.7 A	8.3 A	8.7 A	8.7 A	3.7 A	3.7 A	4.0 BC	73.0 A	72.8 A-C	72.9 A
Revere 1707 VT2P**	RR	VT2P	53.3 A	56.5 A	57.0 A	8.4 A	8.8 A	8.7 A	3.8 A	3.9 A	4.2 AB	72.2 A	72.3 CD	72.7 A
Revere 1898 TC	RR	TRE	53.3 A	56.0 A	54.1 A	8.1 A	8.8 A	8.7 A	3.6 A	3.7 A	4.0 C	72.4 A	72.3 B-D	72.7 A
AgriGold A650-21 VT2Pro	RR	VT2P	49.9 A			8.1 A			3.9 A			71.6 A		
AgriGold A647-79 VT2Pro	RR	VT2P	55.5 A			8.3 A			3.7 A			72.7 A		
Dekalb DKC69-99*	RR	TRE	54.4 A	57.3 A		7.9 A	8.5 A		3.7 A	3.7 A		73.4 A	73.1 A	
LG Seeds LG67C07 VT2Pro	RR	VT2P	55.2 A			7.9 A			3.7 A			72.4 A		
Dekalb DKC67-44*****	RR	VT2P	54.3 A	56.9 A	55.6 A	7.8 A	8.4 A	8.5 A	3.6 A	3.7 A	4.0 BC	72.8 A	72.7 A-D	72.9 A
Dyna-Gro D57TC29*	RR	TRE	55.7 A	56.0 A		8.3 A	8.9 A		3.7 A	3.9 A		72.7 A	71.9 D	
Dekalb DKC67-94*	RR, LL	TRE	56.3 A	57.2 A		8.4 A	8.5 A		3.7 A	3.7 A		73.1 A	73.1 AB	
LG Seeds 69C03 VT2P	RR	VT2P	52.4 A			8.3 A			3.8 A			72.1 A		
Dyna-Gro D57VC53	RR	VT2P	55.1 A			8.0 A			3.8 A			72.3 A		
Progeny 2118 VT2P	RR	VT2P	52.1 A	56.2 A		8.3 A	8.8 A		3.5 A	3.7 A		72.7 A	72.5 A-D	
Average			53.8	56.5	55.5	8.2	8.7	8.6	3.7	3.8	4.1	72.6	72.5	72.7
Standard Error			1.7	2.6	2.0	0.2	0.5	0.3	0.1	0.1	0.3	0.6	0.4	0.4
L.S.D. <sub>.05</sub>			N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	N.S.	0.2	N.S.	0.8	N.S.
C.V.			5.4	4.6	5.3	4.2	3.5	4.1	4.8	4.3	4.5	1.3	1.0	1.0

† Hybrids that have any MS letter in common are not significantly different at the 5% level of probability.

\* Asterisks after a hybrid name indicate the number of preceding consecutive years in the top-performing "A" group.

‡ For a full description of abbreviated biotech traits, see table 18.

§ All yields are adjusted to 15.5% moisture.

¶ Lodging values do not typically follow a normal distribution, therefore statistical tests to compute LSD were not performed and only mean values are reported.