

Table 16. Yields of 8 full-season (>116 DAP) Roundup / stacked corn hybrids in 14 County Standard Tests in Tennessee during 2024.‡

MS† Avg. Yield	Hybrid*	Avg.	Avg.	Avg. Test														
		Yield§ bu/acre	Moisture %	Weight lbs/bu	Brad 5/3	Crock 4/15	Fayt 4/16	Gibs 4/17	Harde 4/16	Hayw 4/22	HenB 4/15	HenT 4/22	Lewis 5/2	Madi 4/29	McNai 4/26	Mont 4/29	Weak 4/18	WTREC 4/16
A	AgriGold 647-79 VT2P	213	14.2	60.74	149	205	190	204	254	290	289	238	160	185	117	196	236	273
A	Dyna-Gro 60TC45	209	14.5	59.10	141	200	163	214	245	291	300	226	147	197	102	174	246	285
AB	DeKalb 68-35 VT2P *	209	14.2	60.72	160	223	157	204	251	277	278	237	181	187	92	184	240	256
BC	Pioneer P17677 YHR	201	14.1	60.85	134	190	155	187	245	284	270	228	146	186	90	182	247	265
CD	Dyna-Gro 58TC94	196	14.5	60.50	152	162	146	194	233	254	268	225	142	183	100	178	230	277
CD	Dyna-Gro 57VC53 RIB	196	14.6	60.56	129	192	158	198	226	267	269	202	155	207	89	188	212	248
CD	Progeny 2118 VT2P	194	14.4	61.01	132	204	185	198	217	257	259	216	158	191	81	162	215	244
D	NuTech 77A5 AM	191	14.1	59.63	118	201	154	181	236	260	246	212	159	184	73	180	234	239
Average		201	14	60	139	197	164	198	238	272	272	223	156	190	93	180	232	261

‡ Data Provided by Ryan Blair, Ext. Area Specialist, Grain and Cotton Variety Testing, and Extension agents in counties shown above.

† Hybrids that have any MS letter in common are not significantly different in yield at the 5% level of probability.

* Asterisks after a hybrid name indicate the number of preceding consecutive years in the top-performing "A" group.

§ All yields are adjusted to 15.5% moisture.

Highlighted cells indicate hybrids that were above average and bold/underline values indicate the top yield, within a location.

County locations include: Bradley, Crockett, Fayette, Gibson, Hardeman, Haywood, Henry (2 locs), Lewis, Madison, McNairy, Montgomery, Weakley, WTREC (Jackson).