

Table 6. Yields of 11 early-season (<114 DAP) Roundup / stacked corn hybrids in 9 County Standard Tests in Tennessee during 2024.‡

MS† Avg. Yield	Hybrid*	Avg. Yield§ bu/acre	Avg. Moisture %	Avg. Test Weight lbs/bu	Crock	Gibs	Hard	Hayw	HenB	HenT	Madis	Weakl	WTREC
					3/28	4/17	4/16	4/23	4/15	4/22	4/29	4/17	4/16
A	Dekalb 111-35 VT2RIB	244	13.8	59.1	232	198	243	254	277	248	249	229	265
AB	Pioneer P1377PWUE	236	13.9	60.1	261	198	241	243	253	243	185	226	276
AB	Dyna-Gro 53TC23 *	234	14.2	58.2	219	231	237	248	240	240	207	230	251
AB	Pioneer P13841PWUE	233	13.8	58.5	238	196	239	239	267	239	202	201	271
AB	AgriGold 643-52 VT2PRO	230	14.3	59.2	229	208	240	263	265	207	196	204	261
B	Croplan 5208	230	14.3	60.2	225	193	235	266	242	243	199	214	249
B	Dyna-Gro 50VC09	229	13.6	59.0	234	198	231	255	273	236	196	201	234
BC	Pioneer P1170 YHR	228	13.5	60.5	230	187	236	243	256	230	218	202	250
BCD	Dyna-Gro 53VC54	223	14.3	60.2	219	184	233	264	253	251	183	182	239
CD	SS 11-40	214	14.3	59.4	214	183	235	227	242	222	165	215	225
D	Progeny 2010 TRE	213	13.9	58.6	201	181	229	238	240	234	216	184	191
Average		229	14	59	227	196	236	249	255	236	202	208	247

‡ Data Provided by Ryan Blair, Ext. Area Specialist, Grain and Cotton Variety Testing, and Extension agents in counties shown above.

† Hybrids that have any MS letter in common are not significantly different in yield at the 5% level of probability.

* Asterisks after a hybrid name indicate the number of preceding consecutive years in the top-performing "A" group.

§ All yields are adjusted to 15.5% moisture.

Highlighted cells indicate hybrids that were above average and bold/underline values indicate the top yield, within a location.
County locations include: Crockett, Gibson, Hardeman, Haywood, Henry (2 locs), Madison, Weakley, and WTREC (Jackson).