

Table 8. Overall average yields, moistures, and test weights of 5 early-season corn hybrids evaluated in both the County Standard Tests and AgResearch and Education Center Tests in Tennessee during 2024.

Hybrid [†]	Herbicide Pkg [‡]	Insect Pkg [‡]	Avg. of CST and REC Tests				REC Tests				CST Tests			
			Avg. Yield [§] (bu/acre)	Avg. Moisture (%)	Avg. Test Weight (lbs/bu)	"A group in both tests	Avg. Yield [§] (bu/acre)	Avg. Moisture (%)	Avg. Test Weight (lbs/bu)	"A group	Avg. Yield [§] (bu/acre)	Avg. Moisture (%)	Avg. Test Weight (lbs/bu)	"A group
Dekalb DKC 111-35 VT2P RIB	RR	VT2P	239	14.6	58.7	*	234	15.5	58.3	*	244	13.8	59.1	*
Pioneer P13777PWUE	RR, LL, ENL, FOP	AVBL, VT2P, HX1	230	14.7	59.1	*	225	15.6	58.1	*	236	13.9	60.1	*
Pioneer P13841PWUE	RR, LL, ENL, FOP	AVBL, VT2P, HX1	229	14.3	57.6	*	224	14.8	56.7	*	233	13.8	58.5	*
Dyna-Gro D53VC54 RIB	RR	VT2P	221	15.0	59.5		219	15.7	58.9		223	14.3	60.2	
Progeny PGY 2010 TRE	RR	TRE	216	14.2	57.9		218	14.5	57.3		213	13.9	58.6	
			227	14.6	58.6		224	15.2	57.9		230	13.9	59.3	

[†] For a full description of abbreviated biotech traits, see table 18.

[‡] All yields are adjusted to 15.5% moisture.