

**Table 9. Yields of 5 early-season (<114 DAP) Roundup / stacked corn hybrids in 10 County Standard Tests in Tennessee during 2025.†**

| MS†<br>Avg.<br>Yield | Hybrid*              | Avg.<br>Yield§<br>bu/acre | Avg.<br>Moisture<br>% | Avg. Test<br>Weight<br>lbs/bu | Chester    | Franklin   | Gibson     | Hardeman   | Haywood    | Henry      | Henry      | Madison    | Obion      | Weakley    |
|----------------------|----------------------|---------------------------|-----------------------|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
|                      |                      |                           |                       |                               | 4/17       | 4/18       | 4/18       | 5/1        | 4/15       | B<br>4/15  | T<br>4/24  | 6/3        | 4/24       | 4/14       |
| A                    | Dekalb 111-35 RIB*   | <b>208</b>                | 13.8                  | 61.6                          | 206        | <b>224</b> | <b>179</b> | <b>259</b> | 236        | 256        | 212        | 102        | 189        | 221        |
| A                    | Pioneer P13777 PWUE* | 204                       | 13.7                  | 60.3                          | 188        | 197        | 168        | 232        | 232        | <b>280</b> | <b>218</b> | <b>102</b> | 183        | <b>240</b> |
| B                    | Pioneer P11616 PCE   | 192                       | 13.7                  | 60.1                          | 179        | 191        | 178        | 226        | 233        | 263        | 208        | 82         | 165        | 197        |
| B                    | DynaGro 53TC23       | 192                       | 13.8                  | 59.6                          | 201        | 204        | 167        | 215        | <b>239</b> | 261        | 193        | 63         | 161        | 210        |
| B                    | Beck's 6184 V2P      | 191                       | 13.8                  | 59.6                          | <b>208</b> | 205        | 150        | 206        | 219        | 263        | 189        | 86         | <b>198</b> | 190        |
| <b>Average</b>       |                      | <b>198</b>                | <b>14</b>             | <b>60</b>                     | <b>196</b> | <b>204</b> | <b>168</b> | <b>227</b> | <b>232</b> | <b>265</b> | <b>204</b> | <b>87</b>  | <b>179</b> | <b>212</b> |

‡ Data Provided by Ryan Blair, Ext. Specialist, Grain and Cotton Variety Testing, and Extension agents in counties shown above.

† Hybrids that have any MS letter in common are not significantly different in yield at the 5% level of probability.

\* Asterisks after a hybrid name indicate the number of preceding consecutive years in the top-performing "A" group.

§ All yields are adjusted to 15.5% moisture.

Highlighted cells indicate hybrids that were above average and bold/underline values indicate the top yield, within a location.

County locations include: Chester, Franklin, Gibson, Hardeman, Haywood, Henry (2 locs), Madison, Obion, and Weakley.